fax print copy scan

Affordable, Powerful Multifunction Fax Solution





An affordable yet powerful multifunction fax solution for today's mid-sized workgroups, the WorkCentre Pro 765 fax system combines high-capacity fax handling with fast, high-resolution printing, copying, and scanning.

Xerox WorkCentre Pro 765

High-volume fax capacity and multifunction productivity.

Expressly designed for today's workgroups, WorkCentre Pro 765 multifunction solution combines high-volume fax handling with fast, crisp printing, copying, and scanning.

For productivity and economy, WorkCentre Pro 765 systems feature the most advanced technologies available. Built-in high-speed modems, Xerox Accelerated Protocol (XAP), and JBIG compression assure you of the most efficient, economical, high-quality fax transmissions.

Fast 12 page-per-minute printing, quick 1.2-second-per-page scanning, generous 300-page memory, and paper handling capacity stand up to your high-volume demands. And a versatile but intuitive user interface, combined with powerful ControlCentre® software, make the WorkCentre Pro 765 fax system easy to use and manage.

Speed, capacity, and quality of output add up to high performance.

WorkCentre Pro 765 systems deliver crisp, detailed pages without keeping you waiting. It sends and receives faxes at today's V.34 33.6 Kbps quick fax modem speed, with JBIG compression for the fastest transmission.

This speed is enhanced with XAP—Xerox Accelerated Protocol—for fast handshaking between Xerox fax systems. Print output is up to 12 ppm at true 600 x 600 dpi resolution with 256 half-tone levels for very accurate, subtle documents, and up to 400 x 400 dpi scan resolution.

High-capacity, built-in memory allows the WorkCentre Pro 765 system to store up to 700 pages for transmitting or receiving faxes. The front-loading 550-sheet paper tray allows you to add a full ream before it's totally empty. Together with a 50-page automatic document feeder, the WorkCentre Pro 765 system's volume paper capacity (expandable to 1650 sheets) enables it to handle multiple documents, incoming and outgoing. So there's no waiting around when sending multi-page faxes, no "memory full" interruption of vital communications just because everyone's focused on the work, not on the equipment.

fax print COPY scan



WorkCentre Pro 765

Multifunction right out of the box.

Multifunctional right out of the box, the WorkCentre Pro 765 system can juggle tasks with ease. Depending on what you need at any moment, you can use your fax system to send or receive faxes, and print documents, all at the same time.

Every task's a snap.

WorkCentre Pro 765 system is easy for everyone to use, with straightforward control panels. One touch keys for 68 common functions, 300 speed dials and 50 group dials, and an easy-to-read four-line display make everyday operations a snap for everyone in the office, with little or no training required.

But what really sets this multifunction fax solution apart is Xerox ControlCentre software. This simple-to-use software enables administrators to set up the WorkCentre Pro 765 system, enter phonebook data, monitor usage and supplies, and upgrade software—all directly from a PC. You can even set up your WorkCentre Pro 765 system to order its own supplies, including toner and drum unit, automatically as needed, so you'll never run out. ControlCentre software operates via direct connection between a PC and the WorkCentre Pro 765.

Savings that add up to a low total cost of ownership.

Your savings start with the affordable price of the WorkCentre Pro 765 system — and grow from there. Fast scanning and printing saves your staff valuable time. High-speed transmission and advanced data compression technologies lower your fax costs without compromising on quality.

WorkCentre Pro 765 Multifunction Fax System

Affordable, high-capacity performance with productivity features and options to power today's busy mid-sized workgroups and offices—plus ultimate ease of use and a low total cost of ownership.

Economical and expandable, the WorkCentre Pro 765 productivity solution is for mid-sized workgroups with heavy fax traffic as well as print and copy requirements.

Standard Features:

- Two V.34 33.6 Kbps modems with JBIG compression and V.8 or XAP handshaking
- 1.2 second/page fast scanning
- 700-page memory
- 12 ppm print engine
- True 600 x 600 dpi printing (400 x 400 dpi scanning and copying)
- 50-page automatic document feeder
- 550-page front-loading paper tray
- Up to 99 copies at a time
- TWAIN scanning
- Intuitive controls, with 68 one-touch keys, keyboard, 300 speed dials and 50 group dials
- PC ControlCentre software for local administration





For more information on how the Xerox WorkCentre Pro 765 can help increase your office productivity, call 1-800-ASK-XEROX to contact your Xerox Representative or visit our Web site at www.xerox.com/office

Specifications

Fax	
Operation	Plain Paper Fax
Compatibility	ITU-T Group 3
Data Compression	JBIG, MMR, MR, MH
Modem	765: Two standard V.34 33.6 Kbps with auto fallback
Handshaking Protocol	ITU-T compliant (V.8) and Xerox Accelerated Protocol
Transmission Speed	2.4 seconds per page**
Fast Scan	1 second per page ****
Security	Confidential send and receive, department codes and ITU-T T.30 subaddressing
Fax Scan Resolution	406 x 392 dpi, 300 x 300 dpi, 203 x 392 dpi Superfine, 203 x 196 dpi Fine, 203 x 98 dpi Standard***
Halftone	Error-diffusion (256 logical levels), Superfine, Fine
Memory	7 MB/700 pages*
Battery Back-up	Up to 72 hours for document storage
Dialing	300 speed dials; 68 one-touch; 50 groups of up to 368 stations each; relay broadcast up to 5000 destinations; fast dialing: dialing starts before entire document is scanned
ADF	Up to 50 sheets of 20 lb letter/A4 paper
Main Paper Capacity	One front-loading tray at 550 sheets (20 lb/80 gsm letter/A4) two optional 550 sheet trays can be added for total of 1,650 sheets
Key Reports	Activity Report, Confirmation Report, Mailbox Receipt Report, Power Failure Report, Settings Report, Pending Job List, Phonebook Lists, Department Codes.
Convenience	Auto-reduction and auto-selection of legal/letter with optional tray, monitor speaker, external telephone jack, auto-redial, fax, print and copy separator pages, permanent line monitor, alternative phone numbers, auto-save for undeliverable faxes, optional handset.

Ease of Use	4-line, 80-character LCD display, direct feature access, ControlCentre software (Web version) front loading universal paper trays (letter/legal/A4), key board for character entry
Mailboxes	Up to 100 ITU-T mailboxes
Maximum Document Size	8.5 inches (216 mm) x unlimited length with operator assistance
Maximum Scan Width	8.5 inches (216 mm)
Software	ControlCentre: for programming machine settings and phone books from a PC. ControlCentre client supports Windows 95/98/NT/2000/XP
Printer	
Print Technology	Laser Beam Printer Dry Electro- Xerographic, Microfine Toner
Output Print Resolution	600 x 600 dpi
Engine Speed	12-pages-per-minute
Print Description Language	GDI
Copier	
Resolution	406 x 391 dpi Superfine, 203 x 195 dpi Fine printed at 406 x 391 dpi with smoothing
Multiple Copies	1-99 of multiple page originals
Reduction	100%, 86%, 75%, 50% or autofit (user selectable)
Collation	Collate or Uncollate (user selectable)
Halftone	Error-diffusion (256 logical levels), Superfine, Fine
Contrast Control	Normal, lighten, darken
Scanner	
Resolution	Up to 400 x 400 dpi
General	
Power	89-138 VAC, 50/60 Hz (US, Canada)

Options	
Main Paper Trays	550 sheet universal tray for letter/ legal/A4; up to 2 optional trays can be added
Telephone Handset	Hearing Aid Compatible
Supplies	
Approximate Yield	
Toner Cartridge	3,750 pages @ 4% coverage (935 pages for included initial
	supplies)

*ITU-T Document # 1, (3.8% coverage), JBIG
**ITU-T Document # 1, 33.6Kbps, MMR, ECM, Memory to Memory,

Standard Resolution

***ITU-T G3 compatible

****ITU-T Document #1, Standard Resolution







Configuration availability may vary by location.

© 2005 Xerox Corporation. All rights reserved. Xerox®, WorkCentre®, ControlCentre® are trademarks of XEROX CORPORATION. In support of Xerox's environmental leadership goals, the Xerox WorkCentre Pro 765 may contain some recycled components that are reconditioned. Energy Star® is a U.S. registered trademark. As an Energy Star® Partner, Xerox has determined that this model meets the Energy Star Guidelines for energy efficiency. Tera Choice Environmental Services, Inc., of Canada has verified that this Xerox product conforms to all applicable Environmental Choice EcoLogo requirements for minimized impact to the environment. Windows 95, 98, NT4.0, 2000, ME and XP are registered trademarks of Microsoft Corp. Xerox Corporation reserves the right at any time to change the specifications of the equipment described herein without notice.

Base Model (w x d x h): 28.4 x 23.3 x 13.9 inches (722 x 596 x 354 mm)

60 lbs (27 Kg) in standard

Temperature operating range: 50°F (10°C) to 90°F (33°C) Humidity range: 20% to 80% non-condensing

configuration

Size

Weight

Environment