

# Xerox® Baltoro™ HF Production Inkjet Press Tested Substrate List (TSL) for Pre Sale

31-Mar-2022

The TSL contains paper and specialty media that has been tested by Xerox Global Development Group. All testing is an observation of the performance at the time of the test. It is not a guarantee of future performance.

## Baltoro Approved Papers (Single Dryer Configuration)

Plain and Inkjet Treated:  
16 lb Bond (60 gsm) to 100 lb Cover (270 gsm)

Coated Stocks:  
61 lb (90 gsm) to 100 lb (148 gsm)

Thickness ≤ .30 mm

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
1	Europe		Antalis	Business		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Color	No
2	Europe		Antalis	Cocoon Jet		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	A4	Optimized for Speed	No
3	Europe		Antalis	Cocoon PrePrint		90	Plain	not specified	Untreated   Uncoated	100	A4	Optimized for Speed	No
4	Europe		Antalis	Cyclus PrePrint		90	Plain	not specified	Untreated   Uncoated	100	A4	Optimized for Speed	No
5	Europe		Antalis	Data Copy		90	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
6	Europe		Antalis	Edixion Offset		80	Plain	not specified	Untreated   Uncoated	0	270 mm x 350 mm	Optimized for Speed	No
7	Europe		Antalis	Image Digicolor		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
8	Europe		Antalis	Image Digicolor		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
9	Europe		Antalis	Image Digicolor		100	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
10	Europe		Antalis	Image Digicolor		100	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
11	Europe		Antalis	Image Digicolor		120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
12	Europe		Antalis	Image Digicolor		160	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
13	Europe		Antalis	Image Digicolor		160	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
14	Europe		Antalis	Image Digicolor		160	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
15	Europe		Antalis	Image Digicolor		200	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Color	No
16	Europe		Antalis	Image Digicolor		200	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
17	Europe		Antalis	Image Digicolor		250	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
18	Europe		Antalis	Image Digicolor		250	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
19	Europe		Antalis	Image Digicolor		280	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
20	Europe		Antalis	Image Indigo		100	Plain	not specified	Untreated   Uncoated	0	SRA3+	Optimized for Speed	No
21	Europe		Antalis	Novatech Silk		90	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
22	Europe		Antalis	Novatech Digital Silk		115	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
23	Europe		Antalis	Novatech Digital Silk		130	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
24	Europe		Antalis	Novatech Digital Silk		150	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
25	Europe		Antalis	Novatech Matte		100	Coated	Matte	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
26	Europe		Antalis	Olin Regular Absolute White		90	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
27	Europe	NEW	Antalis	Printspeed Offset		60	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
28	Europe		Antalis	Printspeed Offset		80	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Color	No
29	Europe		Antalis	Printspeed Offset		90	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
30	North America		Appvion	Superior Carbonless 3-Part Straight <b>PN 5911</b>		79	Carbonless	not specified	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Color	No
31	North America		Appvion	Superior Carbonless 2 -Part Reverse <b>PN 5789</b>		79	Carbonless	not specified	Inkjet Treated   Uncoated	0	9 x 11	Optimized for Color	No
32	North America		Appvion	Superior Carbonless 2-Part Reverse <b>PN 5891</b>		79	Carbonless	not specified	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Color	No
33	North America		Appvion	Superior Carbonless 3-Part Reverse <b>PN 5900</b>		79	Carbonless	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
34	North America		Appvion	Superior Carbonless 4-Part Straight <b>PN 5925</b>		79	Carbonless	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
35	North America		Appvion	Triumph Universal	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
36	Europe		Arctic	Arctic Silk+		130	Coated	Silk	Untreated   Matte Coated	0	210 mm x 400 mm	Optimized for Color	Yes

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
37	Europe		Arctic	G-Print		100	Coated	Matte	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
38	Europe		Arctic	Munken Premium Cream		80	Plain	not specified	Untreated   Uncoated	0	320 mm x 440 mm	Optimized for Speed	No
39	Europe		Arctic	Munken Premium Cream		90	Plain	not specified	Untreated   Uncoated	0	320 mm x 440 mm	Optimized for Speed	No
40	North America		Boise	Aspen30	20 B	75	Plain	not specified	Untreated   Uncoated	30	8.5 x 11	Optimized for Speed	No
41	North America		Boise	Polaris Premium Multipurpose	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
42	North America		Boise	Polaris Premium Multipurpose	28 B	105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
43	North America		Boise	X-9	20 B	75	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Color	No
44	North America		Boise	X-9	24 B	90	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
45	Europe		Burgo	Experia Digisilk		130	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
46	Europe		Burgo	Experia Digisilk		150	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
47	Europe		Burgo	R4 Chorus Satin		115	Coated	Satin	Untreated   Matte Coated	0	A3	Optimized for Color	Yes
48	Europe		Burgo	R4 Chorus Satin		115	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
49	Europe		Clairefontaine	Clairalfa		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
50	Europe		Clairefontaine	Clairejet 400		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
51	Europe		Clairefontaine	Digital Copy Print		90	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
52	Europe		Clairefontaine	Digital Copy Print		90	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
53	Europe		Clairefontaine	Digital Copy Print		100	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
54	Europe		Clairefontaine	Digital Copy Print		100	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
55	Europe		Clairefontaine	Digital Copy Print		120	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
56	Europe		Clairefontaine	Digital Copy Print		120	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
57	Europe		Clairefontaine	Digital Copy Print		200	Inkjet Treated	SuperSilk (Calendared)	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
58	Europe		Clairefontaine	Eminent		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
59	Europe		Clairefontaine	Eminent		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
60	Europe		Clairefontaine	Eminent		100	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
61	Europe		Clairefontaine	Evercopy Plus		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	A4	Optimized for Speed	No
62	Europe		Clairefontaine	Evercopy Premium		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
63	Europe		Clairefontaine	Evercopy Premium		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	A4	Optimized for Speed	No
64	Europe		Clairefontaine	Everprint White		110	Plain	not specified	Untreated   Uncoated	100	SRA3	Optimized for Speed	No
65	Europe		Clairefontaine	Everprint White		150	Plain	not specified	Untreated   Uncoated	100	SRA3	Optimized for Speed	No
66	Europe		Clairefontaine	Laser 2800		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
67	Europe		Clairefontaine	Trophee Green		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
68	Europe		Clairefontaine	Trophee Orange <b>PN 1769</b>		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
69	Europe		Clairefontaine	Trophee Rose		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
70	North America		CTP Solutions	CTP / Inkjet Media Solutions DocuCopy ID Cards 90# White Index FoldOver Inkjet Style	90 Index	140	ID Card	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
71	North America		CTP Solutions	CTP / Inkjet Media Solutions Double Parallel Fold <b>PSFPRL</b>	28 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Color	No
72	North America		CTP Solutions	CTP / Inkjet Media Solutions Double Post Card - No Window <b>PSDBPCD</b>	90 Tag	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
73	North America		CTP Solutions	CTP / Inkjet Media Solutions Double TransVue Window <b>PSEPRBC - TB</b>	28 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
74	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 100 Label 1 Up Label Size 8.5" x 11"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
75	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 105 Label 2 Up Label Size 8.5" x 5.5"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
76	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 110 Label 4 Up Label Size 4.5" x 5.5"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
77	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 115 Label 6 Up Label Size 4.25" x 3.66"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
78	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 120 Label 8 Up Label Size 4.25" x 2.75"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
79	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 125 Label 4 Up Label Size 4" x 5"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
80	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 130 Label 6 Up Label Size 8" x 1.5"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
81	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 135 Label 6 Up Label Size 4" x 3.33"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
82	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 140 Label 8 Up Label Size 8" x 4.25"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
83	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 145 Label 10 Up Label Size 4" x 2"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
84	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 150 RC Label 4 Up Label Size 4" x 6"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
85	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 155 Label 4 Up Label Size 4" x 6"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
86	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 180 Label 2 Up Label Size 6.75" x 4.75"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
87	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 185 Label 2 Up Label Size Click & Ship	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
88	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 190 Label 2 Up Label Size 6.75" x 4.25"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
89	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 195 Label 2 Up Label Size 7.375" x 4.5"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
90	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 200 Label 2 Up Label Size eBay Thank You		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
91	North America		CTP Solutions	CTP / Inkjet Media Solutions FS 230 Label 30 Up Label Size 2.625" x 1"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
92	North America	NEW	CTP Solutions	CTP / Inkjet Media Solutions Pressure Seal V-fold <b>PSEMPV</b>	28 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
93	North America		CTP Solutions	CTP / Inkjet Media Solutions Return Envelope <b>PSF2W</b>	28 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Color	No
94	North America		CTP Solutions	CTP / Inkjet Media Solutions Security Grade Check Stock - Blank <b>PSEPRZ</b>	28 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
95	WW		CVG	Crown Letsgo Bright Matte	61 T	90	Inkjet Coated	Matte	Inkjet Treated   Matte Coated	0	12 x 18	Optimized for Color	Yes
96	WW		CVG	Crown Letsgo Bright Silk	61 T	90	Inkjet Coated	Silk	Inkjet Treated   Matte Coated	0	12 x 18	Optimized for Color	Yes
97	WW		CVG	Crown Letsgo Bright Silk	61 T	90	Inkjet Coated	Silk	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes
98	WW		CVG	Crown Letsgo Bright Silk	61 T	90	Inkjet Coated	Silk	Inkjet Treated   Matte Coated	0	SRA4	Optimized for Color	No



Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
99	WW		CVG	Crown Letsgo Bright Silk		235	Inkjet Coated	Silk	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes
100	WW		CVG	Crown Letsgo Bright Silk 3rd Gen		90	Inkjet Coated	Silk	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes
101	WW		CVG	Crown Letsgo Bright Silk 3rd Gen		115	Inkjet Coated	Silk	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes
102	WW		CVG	Crown Letsgo Bright Silk 3rd Gen		170	Inkjet Coated	Silk	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes
103	WW		CVG	Crown Letsgo High Performance		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
104	WW		CVG	Crown Letsgo High Performance		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
105	WW		CVG	Crown Letsgo High Performance		120	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
106	WW		CVG	Crown Letsgo Matte 3rd Gen		90	Inkjet Coated	Matte	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes
107	WW		CVG	Crown Letsgo Matte 3rd Gen		115	Inkjet Coated	Matte	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes
108	WW		CVG	Crown Letsgo Silk 3rd Gen		70	Inkjet Coated	Silk	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes
109	WW		CVG	Crown Letsgo Silk 3rd Gen		90	Inkjet Coated	Silk	Inkjet Treated   Matte Coated	0	SRA3	Optimized for Color	Yes
110	WW		CVG	Crown Letsgo Universal 3rd Gen		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
111	WW		CVG	Crown Letsgo Universal Pigment		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Color	No
112	WW		CVG	Crown Letsgo Universal Pigment		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
113	North America		Digitabs	Printable Plain Blank Tabs 7 cut, Reverse Collated White	90 Index	162	Plain	not specified	Untreated   Uncoated	0	9 x 11	Optimized for Speed	No
114	North America		Domtar	Cougar Digital Choice Color Copy Super Smooth <b>PN 3180</b>	24 B	90	Plain	Super Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
115	North America		Domtar	Cougar Digital Color Copy Super Smooth <b>PN 2707</b>	60 T	90	Plain	Super Smooth	Untreated   Uncoated	0	13 x 19	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
116	North America		Domtar	Cougar Digital Opaque Offset Smooth <b>PN 3390</b>	60 T	90	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
117	North America		Domtar	Cougar Digital Opaque Offset Smooth <b>PN 3391</b>	70 T	104	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
118	North America		Domtar	Cougar Digital Smooth <b>PN 2223</b>	24 B	90	Plain	Smooth	Untreated   Uncoated	0	13 x 19	Optimized for Speed	No
119	North America		Domtar	Cougar Digital Smooth <b>PN 2834</b>	24 B	90	Plain	Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
120	North America		Domtar	Cougar Opaque Smooth	50 T	75	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
121	North America		Domtar	Cougar Super Smooth <b>PN 2706</b>	60 T	90	Plain	Super Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
122	North America		Domtar	Cougar Super Smooth <b>PN 2754</b>	80 T	118	Plain	Super Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
123	North America		Domtar	Cougar Super Smooth <b>PN 2768</b>	80 C	216	Plain	Super Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Color	No
124	North America		Domtar	Cougar Super Smooth <b>PN 2772</b>	100 C	270	Plain	Super Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Color	No
125	North America		Domtar	Cougar Super Smooth <b>PN 2744</b>	70 T	104	Plain	Super Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
126	North America		Domtar	DomtarCopy	20 B	75	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
127	North America		Domtar	Earth Choice Ivory Vellum Opaque <b>PN 81062</b>	60 T	90	Plain	Vellum	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
128	North America		Domtar	Husky Copy	20 B	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
129	North America		Domtar	Husky Digital Opaque <b>PN 2172</b>	60 T	90	Plain	not specified	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
130	North America		Domtar	Husky Digital Opaque <b>PN 2173</b>	70 T	104	Plain	not specified	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
131	North America		Domtar	Husky Digital Opaque <b>PN 5462</b>	60 T	90	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
132	North America		Domtar	Husky Digital Smooth	50 T	74	Plain	Smooth	Untreated   Uncoated	10	12 x 18	Optimized for Speed	No
133	North America		Domtar	Husky Opaque Offset	70 T	104	Plain	not specified	Untreated   Uncoated	0	14 x 19	Optimized for Speed	No
134	North America		Domtar	Husky Recycled Digital <b>PN 9268</b>	24 B	90	Plain	not specified	Untreated   Uncoated	30	8.5 x 11	Optimized for Speed	No
135	North America		Domtar	LeafJET	20 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
136	North America		Domtar	Lettermark <b>PN 3977</b>	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Speed	No
137	North America		Domtar	Lettermark <b>PN 3970</b>	20 B	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
138	North America		Domtar	Lettermark <b>PN 3972</b>	20 B	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Speed	No
139	North America		Domtar	Lettermark <b>PN 3973</b>	20 B	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Speed	No
140	North America		Domtar	Lettermark <b>PN 3976</b>	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
141	North America	NEW	Domtar	Lettermark Premium <b>PN 3990</b>	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
142	North America	NEW	Domtar	Lettermark Premium <b>PN 3992</b>	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Speed	No
143	North America	NEW	Domtar	Lettermark Premium <b>PN 3993</b>	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Speed	No
144	North America		Domtar	Lynx Digital <b>PN 630400</b>	60 T	90	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
145	North America		Domtar	Lynx Digital <b>PN 630700</b>	60 T	90	Plain	not specified	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
146	North America		Domtar	Lynx Digital <b>PN 630800</b>	70 T	104	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
147	North America		Domtar	Lynx Digital <b>PN 639829</b>	80 C	216	Plain	Smooth	Untreated   Uncoated	0	19 x 13	Optimized for Speed	No
148	North America		Domtar	Lynx Digital Opaque <b>PN 639633</b>	80 T	120	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
149	north America		Domtar	Lynx Digital Opaque <b>PN 639634</b>	100 T	148	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
150	North America		Domtar	Lynx Digital Opaque <b>PN 639637</b>	100 C	270	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
151	North America		Domtar	Lynx Digital Satin	24 B	90	Inkjet Treated	Super Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
152	North America		Domtar	Lynx Digital Smooth	65 C	176	Plain	Smooth	Untreated   Uncoated	10	12 X 18	Optimized for Speed	No
153	North America		Domtar	LynxJET	60 T	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
154	North America		Domtar	LynxJET	70 T	104	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
155	North America		Domtar	LynxJET <b>PN 600952</b>	60 T	89	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Color	No
156	North America		Domtar	LynxJET <b>PN 600955</b>	70 T	104	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Color	No
157	North America		Domtar	LynxJET 7 POINT <b>PN 5267</b>		125	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Color	No
158	North America		Domtar	LynxJET 9 POINT <b>PN 5268</b>		147	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Color	No
159	North America		Domtar	WillCopy	20 B	75	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
160	North America		Domtar	WillCopy Custom Cuts 1 Perf at 3 2/3 inches <b>PN 851032</b>	20 B	75	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
161	WW		Double A	Double A Color Print		90	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
162	WW		Double A	Everday	20 B	75	Plain	not specified	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
163	WW		Double A	Everday	20 B	75	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
164	WW		Double A	Premium		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
165	Europe		Drewsen	CBS1		95	Security	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
166	Europe		Drewsen	ProCopy		200	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Color	No
167	Europe		Drewsen	Watermarked Security Paper		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
168	Europe		Fedrigoni	Splendorgel Extra White		100	Plain	Super Smooth	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
169	Europe		Fedrigoni	Splendorgel Extra White		115	Plain	Super Smooth	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
170	Europe		Fedrigoni	Splendorgel Extra White		140	Plain	Super Smooth	Untreated   Uncoated	0	SRA3	Optimized for Color	No
171	Europe		Fedrigoni	Splendorgel Extra White		160	Plain	Super Smooth	Untreated   Uncoated	0	SRA3	Optimized for Color	No
172	Europe		Fedrigoni	Splendorgel Extra White		190	Plain	Super Smooth	Untreated   Uncoated	0	SRA3	Optimized for Color	No
173	Europe		Fedrigoni	Splendorgel Extra White		230	Plain	Super Smooth	Untreated   Uncoated	0	SRA3	Optimized for Color	No
174	Europe		Fedrigoni	Splendorgel Extra White		270	Plain	Super Smooth	Untreated   Uncoated	0	SRA3	Optimized for Color	No
175	Europe		Fedrigoni	Splendorgel Extra White		300	Plain	Super Smooth	Untreated   Uncoated	0	SRA3	Optimized for Color	No
176	Europe		Fedrigoni	Symbol Freelifa Satin		115	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
177	North America		Finch	Finch 94	60 T	90	Plain	not specified	Untreated   Uncoated	0	12.25 x 18.25	Optimized for Speed	No
178	North America		Finch	Opaque Digital Bright White PN 1008-6015	60 T	89	Plain	not specified	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
179	North America		Finch	Opaque Digital Bright White PN 1008-7015	70 T	104	Plain	not specified	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
180	North America		Finch	Opaque Digital Bright White PN 1008-8015	80 T	118	Plain	not specified	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
181	North America		Finch	Opaque Digital Bright White PN 2508-0017	100 C	270	Plain	not specified	Untreated   Uncoated	0	12 x 18	Optimized for Color	No
182	North America		Finch	Opaque Digital Bright White PN 2508-8017	80 C	216	Plain	not specified	Untreated   Uncoated	0	12 x 18	Optimized for Color	No
183	North America		Finch	Smartbook Jet Text	70 T	105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	13 x 19	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
184	North America		GPA	Dry Toner 50# White Uncoated Permanent 10-up Labels	60 T	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
185	WW		GPA	Dry Toner X White Satin	70 T	105	Coated	Satin	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
186	WW		GPA	Dry Toner X White Satin	80 T	118	Coated	Satin	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
187	WW		GPA	Dry Toner X White Satin	100 T	148	Coated	Satin	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
188	North America		GPA	GPA Dry Toner 60# Offset White / Permanent Adhesive / 80# U-Split Liner		120	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
189	North America		GPA	White Dull Text <b>DM1WDT100P</b>	100 T	148	Coated	Dull	Untreated   Matte Coated	0	13 x 19	Optimized for Color	Yes
190	Europe		Hadera	CopyKal Business		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
191	Europe		Hadera	Digital Word Elenfer C2S Art Paper		128	Coated	Silk	Inkjet Treated   Uncoated	0	350 mm x 500 mm	Optimized for Color	Yes
192	Europe		Hadera	Hadera Top		170	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
193	North America		Huge Papers	Nice Art Silk	80 T	118	Coated	Silk	Untreated   Matte Coated	10	12 x 18	Optimized for Color	Yes
194	Europe		Igepa	Igepa Soporset Premium Offset		90	Plain	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
195	Europe		Igepa	Igepa Soporset Premium Offset		120	Plain	not specified	Inkjet Treated   Uncoated	0	320 mm x 432 mm	Optimized for Speed	No
196	North America		Impact	High Tech Xeroxgraphic	20 B	75	Plain	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
197	North America		Impact	Xerographic	20 B	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
198	Europe		Inapa	Pro Laser		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
199	Europe		Inapa	Tecno MultiSpeed		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
200	North America		InfoSeal	InfoSeal FS 100 Label 1 Up Label Size 8.5" x 11"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
201	North America		InfoSeal	InfoSeal FS 105 Label 2 Up Label Size 8.5" x 5.5"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
202	North America		InfoSeal	InfoSeal FS 110 Label 4 Up Label Size 4.5" x 5.5"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
203	North America		InfoSeal	InfoSeal FS 115 Label 6 Up Label Size 4.25" x 3.66"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
204	North America		InfoSeal	InfoSeal FS 120 Label 8 Up Label Size 4.25" x 2.75"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
205	North America		InfoSeal	InfoSeal FS 125 Label 4 Up Label Size 4" x 5"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
206	North America		InfoSeal	InfoSeal FS 130 Label 6 Up Label Size 8" x 1.5"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
207	North America		InfoSeal	InfoSeal FS 135 Label 6 Up Label Size 4" x 3.33"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
208	North America		InfoSeal	InfoSeal FS 140 Label 8 Up Label Size 8" x 4.25"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
209	North America		InfoSeal	InfoSeal FS 145 Label 10 Up Label Size 4" x 2"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
210	North America		InfoSeal	InfoSeal FS 150 RC Label 4 Up Label Size 4" x 6"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
211	North America		InfoSeal	InfoSeal FS 155 Label 4 Up Label Size 4" x 6"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
212	North America		InfoSeal	InfoSeal FS 180 Label 2 Up Label Size 6.75" x 4.75"	105		Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No



Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
213	North America		InfoSeal	InfoSeal FS 185 Label 2 Up Label Size Click & Ship		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
214	North America		InfoSeal	InfoSeal FS 190 Label 2 Up Label Size 6.75" x 4.25"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
215	North America		InfoSeal	InfoSeal FS 195 Label 2 Up Label Size 7.375" x 4.5"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
216	North America		InfoSeal	InfoSeal FS 200 Label 2 Up Label Size eBay Thank You		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
217	North America		InfoSeal	InfoSeal FS 230 Label 30 Up Label Size 2.625" x 1"		105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
218	North America		InfoSeal	Double Post Card - No Window <b>PSDBPCD</b>	90 Tag	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
219	North America	NEW	InfoSeal	Blank 28# <b>PSFEZ</b>	28 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Color	No
220	North America	NEW	InfoSeal	BW 28# <b>PSEPRC</b>	28B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
221	North America	NEW	InfoSeal	Pressure Seal V-fold <b>PSEMPV</b>	28 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
222	North America	NEW	InfoSeal	90# Tag <b>PSEFLPTB</b>		146	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
223	North America		InfoSeal	TB Double TransVue Window <b>PSEPRBC</b>	28 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
224	North America		InfoSeal	Blank - Security Grade Check Stock <b>PSEPRZ</b>	24 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
225	North America		InfoSeal	Return Envelope <b>PSF2W</b>	24 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Color	No
226	North America		InfoSeal	Double Parallel Fold <b>PSFPRL</b>	24 B	105	Pressure Seal	Smooth	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Color	No



Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
227	North America		Innovative	Innovative UNV21200	50 T	75	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Color	No
228	North America		International Paper	Accent Opaque Digital SuperSmooth with ImageLok	70 T	104	Inkjet Treated	Super Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
229	North America		International Paper	Accent Opaque Digital SuperSmooth with ImageLok	80 T	118	Inkjet Treated	Super Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
230	North America		International Paper	Accent Opaque Digital SuperSmooth with ImageLok PN 17110	60 T	89	Inkjet Treated	Super Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
231	North America		International Paper	Accent Opaque Digital with ColorPro	70 T	105	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
232	North America		International Paper	Accent Opaque Digital with ImageLok PN 288084	70 T	104	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Color	No
233	North America		International Paper	Accent Opaque Plain	60 T	90	Plain	Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
234	North America		International Paper	Accent Opaque Plain	80 T	120	Plain	Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
235	North America		International Paper	Accent Opaque Super Smooth	65 C	176	Plain	Super Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Color	No
236	North America		International Paper	Accent Opaque Super Smooth	80 C	216	Plain	Super Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Color	No
237	North America		International Paper	Accent Opaque Text White Smooth	70 T	104	Plain	Smooth	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
238	North America		International Paper	Accent Opaque Text White Smooth	80 T	118	Plain	Smooth	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
239	North America		International Paper	Accent Opaque with ImageLok	70 T	104	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
240	North America		International Paper	Accent Opaque with ImageLok Smooth <b>PN 288083</b>	60 T	89	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Color	No
241	North America		International Paper	Hammermill 3-hole <b>PN 105031</b>	20 B	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
242	North America		International Paper	Hammermill Copy Plus <b>PN 105023</b>	20 B	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Speed	No
243	North America		International Paper	Hammermill Fore MultiPurpose 24lb	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Speed	No
244	North America		International Paper	Hammermill Premium ColorCopy 28 lb	28 B	105	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
245	North America		International Paper	Hammermill Premium MultiPurpose <b>PN 105810</b>	24 B	90	inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
246	WW		International Paper	JetStar	60 T	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
247	WW		International Paper	JetStar		100	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
248	Europe		International Paper	PRO-DESIGN		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
249	Europe		International Paper	PRO-DESIGN		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
250	Europe		International Paper	PRO-DESIGN		100	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
251	Europe		International Paper	PRO-DESIGN		100	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
252	Europe		International Paper	PRO-DESIGN		120	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
253	Europe		International Paper	PRO-DESIGN		160	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
254	Europe		International Paper	PRO-DESIGN		200	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
255	Europe		International Paper	PRO-DESIGN		200	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
256	Europe		International Paper	PRO-DESIGN		250	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
257	North America		International Paper	Relay MP	20 B	75	Plain	not specified	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
258	Europe		International Paper	Rey Adagio Blue		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
259	Europe		International Paper	Rey Adagio Blue		160	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
260	Europe		International Paper	Rey Adagio Canary		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
261	Europe		International Paper	Rey Adagio Gray		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
262	Europe		International Paper	Rey Adagio Green		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
263	Europe		International Paper	Rey Adagio Intense Blue		160	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
264	Europe		International Paper	Rey Adagio Intense Orange		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
265	Europe		International Paper	Rey Adagio Intense Red		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
266	Europe		International Paper	Rey Adagio Intense Red		160	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
267	Europe		International Paper	Rey Adagio Ivory		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
268	Europe		International Paper	Rey Adagio Pink		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
269	Europe		International Paper	Rey Adagio Purple Lilac		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
270	Europe		International Paper	Rey Adagio Salmon		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
271	Europe		International Paper	Rey Office		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
272	North America		International Paper	Springhill Digital Opaque Offset Cream	60 T	90	Plain	not specified	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
273	North America		International Paper	Williamsburg Plus Offset Smooth <b>PN 05306</b>	60 T	89	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
274	North America		International Paper	Williamsburg Plus Offset Smooth <b>PN 05324</b>	60 T	89	Plain	Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
275	North America		International Paper	Williamsburg Plus Offset Smooth <b>PN 05335</b>	70 T	104	Plain	Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
276	Europe		Kabel	ArtiPress Silk		90	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
277	Europe		Kabel	TerraPress Silk		90	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
278	Europe		Kabel	TerraPrint Dakota Silk		90	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
279	North America		Kelly Spicers	Kelly Copy <b>PN 11037A</b>	20 B	75	Plain	not specified	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Speed	No
280	North America		Kelly Spicers	Kelly Digital Coated Silk	60 T	90	Coated	Silk	Untreated   Matte Coated	10	12 x 18	Optimized for Color	Yes
281	North America		Kelly Spicers	Kelly Digital Coated Silk	60 T	90	Coated	Silk	Untreated   Matte Coated	10	13 x 19	Optimized for Color	Yes
282	North America		Kelly Spicers	Kelly Digital Coated Silk GL	70 T	104	Coated	Silk	Untreated   Matte Coated	10	13 x 19	Optimized for Color	Yes
283	North America		Kelly Spicers	Kelly Digital Coated Silk GS	70 T	104	Coated	Silk	Untreated   Matte Coated	10	19 x 13	Optimized for Color	Yes
284	North America		Kelly Spicers	Pacesetter Digital Silk	70 T	104	Coated	Silk	Untreated   Matte Coated	10	13 x 19	Optimized for Color	Yes
285	North America		Kelly Spicers	Pacesetter Digital Silk	60 T	90	Coated	Silk	Untreated   Matte Coated	10	12 x 18	Optimized for Color	Yes
286	North America		Kelly Spicers	Pacesetter Digital Silk	60 T	90	Coated	Silk	Untreated   Matte Coated	10	13 x 19	Optimized for Color	Yes
287	North America		Kelly Spicers	Pacesetter Digital Silk GL	70 T	104	Coated	Silk	Untreated   Matte Coated	10	13 x 19	Optimized for Color	Yes
288	North America		Kelly Spicers	Pacesetter Digital Silk GS	70 T	104	Coated	Silk	Untreated   Matte Coated	10	19 x 13	Optimized for Color	Yes

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
289	North America		Kelly Spicers	Pacesetter Silk	80 T	120	Coated	Silk	Untreated   Matte Coated	10	12 x 18	Optimized for Color	Yes
290	North America		Kelly Spicers	Pacesetter Silk	80 T	120	Coated	Silk	Untreated   Matte Coated	10	8.5 x 11	Optimized for Color	Yes
291	North America		Kelly Spicers	Supreme Digital Silk	80 T	118	Coated	Silk	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
292	Europe		Lecta	Condat Digital Silk		115	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
293	Europe		Lecta	Condat Digital Silk		130	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
294	Europe		Lecta	Condat Digital Silk		135	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
295	Europe		Lecta	Condat Digital Silk		150	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
296	Europe		Lecta	Condat Essential Silk		150	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
297	Europe		Lecta	Coral Book Ivory		90	Plain	not specified	Untreated   Uncoated	0	250 mm x 350 mm	Optimized for Speed	No
298	Europe		Lecta	Coral Book White		100	Plain	not specified	Untreated   Uncoated	0	250 mm x 350 mm	Optimized for Speed	No
299	North America		Lecta	Digital Creator	100 T	148	Coated	Silk	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
300	Europe		Lecta	Garda Satin		90	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
301	Europe		Lecta	Gardamatt Art		90	Coated	Matte	Untreated   Matte Coated	0	350 mm x 500 mm	Optimized for Color	Yes
302	Europe		Lecta	Gardamatt Digital		130	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
303	Europe		Lessebo	Scandia 2000		130	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Color	No
304	Europe	NEW	Lyreco	Lyreco Premium		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
305	North America		Made in the USA	Xerographic Copy Paper	20 B	75	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Color	No
306	North America		Mitsubishi	Value InkJet	60 T	90	Inkjet Treated	Matte	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
307	North America		Mohawk	Color Copy 100% Recycled	28 B	104	Plain	Smooth	Untreated   Uncoated	100	12 x 18	Optimized for Speed	No
308	North America		Mohawk	Color Copy 100% Recycled	80 C	216	Plain	not specified	Untreated   Uncoated	100	11 x 17	Optimized for Speed	No
309	North America		Mohawk	Color Copy 100% Recycled	80 C	216	Plain	not specified	Untreated   Uncoated	100	12 x 18	Optimized for Speed	No
310	North America		Mohawk	ViaLinen Warm White 30% pcw PN 144015	24 B	90	Inkjet Treated	Linen	Inkjet Treated   Uncoated	30	8.5 x 11	Optimized for Color	No
311	Europe		Mondi	Bio Top 3next		120	Inkjet Treated	not specified	Inkjet Treated   Uncoated	10	A4	Optimized for Speed	No
312	Europe		Mondi	Bio Top 3next		120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
313	Europe		Mondi	Bio Top 3next		250	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
314	WW		Mondi	Bio Top HSI	60 T	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	10	13 x 19	Optimized for Speed	Yes
315	Europe		Mondi	Bio Top HSI		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
316	Europe		Mondi	ColorCopy		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	10	A3	Optimized for Color	No
317	WW		Mondi	ColorCopy		100	Inkjet Treated	not specified	Inkjet Treated   Uncoated	10	12 x 18	Optimized for Speed	No
318	WW		Mondi	ColorCopy	60 T	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	10	13 x 19	Optimized for Speed	Yes
319	Europe		Mondi	ColorCopy		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
320	Europe		Mondi	ColorCopy		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
321	Europe		Mondi	ColorCopy		100	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
322	Europe		Mondi	ColorCopyJET		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	10	A4	Optimized for Color	No
323	Europe		Mondi	ColorCopyJET		90	Inkjet Treated	Super Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
324	North America		Mondi	DNS High Speed Inkjet Coated Feel		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Color	No
325	North America		Mondi	DNS High Speed Inkjet Coated Feel		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
326	Europe		Mondi	DNS High Speed Inkjet Coated Feel		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
327	Europe		Mondi	DNS High Speed Inkjet Coated Feel		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	10	A4	Optimized for Color	No
328	North America		Mondi	DNS High Speed Inkjet Natural Feel		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
329	North America		Mondi	DNS High Speed Inkjet Natural Feel		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
330	Europe		Mondi	DNS High Speed Inkjet Natural Feel		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
331	North America		Mondi	DNS High Speed Inkjet Natural Feel		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	10	A4	Optimized for Color	No
332	North America		Mondi	DNS High Speed Inkjet Natural Feel		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	10	SRA3	Optimized for Color	No
333	Europe		Mondi	DNS Premium		60	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Color	No
334	Europe		Mondi	DNS Premium		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
335	WW		Mondi	DNS Premium		90	Coated	Silk	Untreated   Matte Coated	10	12 x 18	Optimized for Color	No
336	WW		Mondi	IQ Smooth		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	10	12 x 18	Optimized for Color	No
337	Europe		Mondi	IQ Smooth		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
338	Europe		Mondi	Nautilus Classic		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	A4	Optimized for Color	No
339	WW		Mondi	Nautilus Classic	70 T	104	Coated	Silk	Untreated   Matte Coated	10	19 x 13	Optimized for Color	Yes
340	WW		Mondi	Nautilus Super White HSI		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	10	8.5 x 11	Optimized for Color	No
341	Europe		Mondi	Nautilus Super White HSI		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	A4	Optimized for Color	No
342	Europe		Mondi	Neujet Matte		135	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	10	A4	Optimized for Speed	No
343	Europe		Mondi	Neujet Matte		135	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	297 mm x 445 mm	Optimized for Color	No
344	Europe		Mondi	Neujet Silk Book White		90	Inkjet Treated	Super Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No



Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
345	Europe		Mondi	Neujet Silk Book White		90	Inkjet Treated	Super Smooth	Inkjet Treated   Uncoated	10	A4	Optimized for Color	No
346	WW		Mondi	Pergraphica		100	Plain	not specified	Untreated   Uncoated	10	SRA3	Optimized for Speed	No
347	WW		Mondi	Premium IQ		80	Plain	not specified	Inkjet Treated   Uncoated	10	13 x 19	Optimized for Speed	Yes
348	Europe		Mondi	Premium IQ	n/a	80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
349	WW		Moorim	Nantucket Silk	60 T	90	Coated	Silk	Untreated   Matte Coated	10	12 x 18	Optimized for Color	Yes
350	WW		Moorim	Nantucket Silk	60 T	90	Coated	Silk	Untreated   Matte Coated	10	13 x 19	Optimized for Color	Yes
351	WW		Moorim	Nantucket Silk GL	70 T	104	Coated	Silk	Untreated   Matte Coated	10	13 x 19	Optimized for Color	Yes
352	WW		Moorim	Nantucket Silk GS	70 T	104	Coated	Silk	Untreated   Matte Coated	10	19 x 13	Optimized for Color	Yes
353	North America		Moorim	Prodigital Silk	60 T	90	Coated	Silk	Untreated   Matte Coated	10	12 x 18	Optimized for Color	Yes
354	North America		Moorim	Prodigital Silk	60 T	90	Coated	Silk	Untreated   Matte Coated	10	13 x 19	Optimized for Color	Yes
355	North America		Moorim	Prodigital Silk GL	70 T	104	Coated	Silk	Untreated   Matte Coated	10	13 x 19	Optimized for Color	Yes
356	North America		Moorim	Prodigital Silk GS	70 T	104	Coated	Silk	Untreated   Matte Coated	10	19 x 13	Optimized for Color	Yes
357	North America		Neenah	Artic White Wove	24 B	90	Plain	Wove	Untreated   Uncoated	30	11.25 x 17.25	Optimized for Speed	No
358	North America		Neenah	Artic White Wove	24 B	90	Plain	Wove	Untreated   Uncoated	10	11.25 x 17.25	Optimized for Speed	No
359	North America		Neenah	Conservation Digital Cover	80 C	216	Plain	Smooth	Untreated   Uncoated	100	12 x 18	Optimized for Color	No
360	North America	NEW	OVOL	Copy Paper PN 2750OV	20 B	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
361	Europe		Papier Union	Fly Snowwhite		115	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
362	Europe		Papyrus	Arctic Volume White 1.12		150	Coated	Matte	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
363	Europe		Papyrus	MultiBusiness PN 88156562		260	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
364	Europe		Papyrus	Plano Superior		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
365	Europe		Papyrus	PlanoJet		89	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
366	North America		Performance Paper	PerfectLok	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	17 x 11	Optimized for Speed	No
367	North America		Pixelle	Basic 24 lb	24 B	90	Plain	not specified	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
368	North America		Pixelle	Enhanced Hi Brite 7 Point	100 T	148	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
369	North America		Pixelle	ExcelOne 2 Part Reverse PN 230949		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
370	North America		Pixelle	ExcelOne 3 Part Reverse PN 231585		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Color	No
371	North America		Pixelle	Pixelle Enhanced PN 229764	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
372	North America		Pixelle	Pixelle Enhanced PN 229987	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
373	North America		Pixelle	Pixelle Enhanced PN 232556	20 B	74	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
374	North America		Pixelle	Pixelle Enhanced PN 232558	20 B	74	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
375	North America		Pixelle	Pixelle Enhanced HiBright	20 B	74	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
376	North America		Pixelle	Pixelle Enhanced HiBright PN 229909	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
377	North America		Pixelle	Pixelle Enhanced HiBright <b>PN 232319</b>	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
378	North America		Pixelle	Pixelle Enhanced HiBrite	20 B	74	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
379	Europe		Premier	Elements Fire		80	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
380	Europe		Premier	Elements Fire		250	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Color	No
381	Europe		Premier Paper	Essential Silk		130	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
382	South America		Propal	Reprograf Blanco		75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
383	South America		Propal	Reprograf Natural		72	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
384	North America		Resolute	Connect	50 T	75	Plain	not specified	Untreated   Uncoated	0	11 x 17	Optimized for Color	No
385	North America		Rolland	Enviro Digital <b>PN 5654</b>	60 T	90	Plain	not specified	Untreated   Uncoated	100	8.5 x 11	Optimized for Speed	No
386	North America		Rolland	Enviro Digital <b>PN 5656</b>	60 T	90	Plain	not specified	Untreated   Uncoated	100	12 x 18	Optimized for Speed	No
387	North America	NEW	Rolland	Enviro Digital <b>PN 5658</b>	70 T	104	Plain	not specified	Untreated   Uncoated	100	11 x 17	Optimized for Speed	No
388	North America		Rolland	Enviro Digital <b>PN 58561</b>	80 C	216	Plain	not specified	Untreated   Uncoated	100	13 x 19	Optimized for Speed	No
389	North America		Rolland	Enviro Jet <b>PN 58153</b>	50 T	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	8.5 x 11	Optimized for Speed	No
390	North America		Rolland	Enviro Jet <b>PN 62230</b>	45 T	67	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	8.5 x 11	Optimized for Speed	No
391	North America		Rolland	Enviro Jet 140M		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	12 x 18	Optimized for Speed	No
392	North America		Rolland	Enviro Print <b>PN 5619</b>	80 C	216	Plain	not specified	Untreated   Uncoated	100	13 x 19	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
393	North America		Rolland	HiTech	60 T	90	Plain	not specified	Untreated   Uncoated	30	8.5 x 11	Optimized for Speed	No
394	North America		Rolland	HiTech	70 T	104	Plain	not specified	Untreated   Uncoated	30	11.5 x 17.5	Optimized for Speed	No
395	North America		Rolland	HiTech	70 T	104	Plain	not specified	Untreated   Uncoated	30	13 x 19	Optimized for Speed	No
396	North America		Rolland	HiTech Inkjet Smooth True White Blanc Pur	50 T	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	100	8.5 x 11	Optimized for Speed	No
397	North America		Rolland	HiTech Inkjet Smooth True White Blanc Pur	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	30	8.5 x 11	Optimized for Color	No
398	North America	NEW	Rolland	Opaque PN 62794	100 T	148	Plain	Smooth	Untreated   Uncoated	30	8.5 x 14	Optimized for Speed	No
399	North America	NEW	Rolland	Opaque	100 T	148	Plain	Smooth	Untreated   Uncoated	30	11 x 17	Optimized for Speed	No
400	Europe		Sappi	EBB GalerieArt Satin		90	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
401	Europe		Sappi	EBB GalerieArt Satin		115	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
402	Europe		Sappi	EBB GalerieArt Satin		130	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
403	Europe		Sappi	EBB GalerieArt Satin		135	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
404	Europe		Sappi	EBB GalerieArt Satin		150	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
405	North America		Sappi	EuroArt Plus	100 T	148	Coated	Silk	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
406	North America		Sappi	EuroArt Plus Silk	80 T	118	Coated	Silk	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
407	North America		Sappi	Flo Dull Digital PN K11964	100 T	148	Coated	Dull	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
408	North America		Sappi	Flo Dull Digital PN K11971	80 T	118	Coated	Dull	Untreated   Matte Coated	0	13 x 19	Optimized for Color	Yes

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
409	Europe		Sappi	GalerieArt Silk		90	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
410	Europe		Sappi	GalerieArt Silk		115	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
411	Europe		Sappi	GalerieArt Silk		130	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
412	Europe		Sappi	GalerieArt Silk		135	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
413	Europe		Sappi	GalerieArt Silk		150	Coated	Satin	Untreated   Matte Coated	0	A4	Optimized for Color	Yes
414	Europe		Sappi	GalerieArt Silk		150	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
415	Europe		Sappi	Magno Matte		115	Coated	Matte	Untreated   Matte Coated	0	A4	Optimized for Color	Yes
416	Europe		Sappi	Magno Matte		130	Coated	Matte	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
417	Europe		Sappi	Magno Satin		90	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
418	Europe		Sappi	Magno Satin		115	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
419	Europe		Sappi	Magno Satin		130	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
420	Europe		Sappi	Magno Satin		135	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
421	Europe		Sappi	Magno Satin		150	Coated	Satin	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
422	North America		Sappi	McCoy Silk	80 T	118	Coated	Silk	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
423	North America		Sappi	Opus Dull	80 T	118	Coated	Dull	Untreated   Matte Coated	10	12 x 18	Optimized for Color	Yes
424	North America		Sappi	Opus Dull	100 T	148	Coated	Dull	Untreated   Matte Coated	10	12 x 18	Optimized for Color	Yes

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
425	North America		Sappi	Opus Dull PN 13655	100 T	148	Coated	Dull	Untreated   Matte Coated	0	13 x 19	Optimized for Color	Yes
426	South America		Sappi	Quatro Plus		90	Coated	Silk	Untreated   Matte Coated	0	11 x 17	Optimized for Color	Yes
427	North America		Southern Index	1-up ID Card Paper Inkjet Laminated perf PN 4B1146	60 C	140	ID Card	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
428	North America		Southern Index	1-up ID Card 7 mil Better Card Laminated Perf PN 4B1180	60 C	140	ID Card	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
429	North America		Southern Index	2-up ID Card Paper Inkjet Laminated Perf PN 4B1140	60 C	140	ID Card	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
430	North America		Staples	Staples 30% Recycled Copy Paper	20 B	75	Plain	not specified	Untreated   Uncoated	30	8.5 x 11	Optimized for Speed	No
431	Europe		Stora Enso	BergaJet		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
432	Europe		Stora Enso	BergaJet		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
433	Europe		Stora Enso	Canon Red Label Superior		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
434	Europe		Stora Enso	Lumi Plus		90	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
435	Europe	NEW	Stora Enso	MultiCopy		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
436	Europe	NEW	Stora Enso	MultiCopy		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
437	Europe	NEW	Stora Enso	MultiCopy		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
438	Europe	NEW	Stora Enso	MultiCopy		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
439	Europe		Stora Enso	Plano Dynamic		75	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
440	Europe		Stora Enso	Plano Plus		90	Plain	not specified	Untreated   Uncoated	0	A3	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
441	Europe		Stora Enso	Plano Superior		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
442	Europe		Stora Enso	PlanoJet		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
443	Europe		Stora Enso	PlanoJet		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
444	Europe		Stora Enso	Superior Jet		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
445	North America		Supreme	Supreme HiBright Copy Paper	20 B	75	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
446	WW		Suzano	Artwork Premium Multipurpose Business Paper		75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
447	WW		Suzano	Artwork Premium Multipurpose Business Paper		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
448	South America		Suzano	Fit Silk		90	Coated	Silk	Untreated   Matte Coated	0	A4	Optimized for Color	Yes
449	WW		Suzano	Paperfect SG		60	Plain	not specified	Untreated   Uncoated	0	320 mm x 440 mm	Optimized for Speed	Yes
450	WW		Suzano	Paperfect Offset Smooth		60	Plain	not specified	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
451	WW	NEW	the Navigator Company	Discovery		70	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
452	WW		the Navigator Company	EcoLogical		75	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
453	WW		the Navigator Company	Hard Cover PN 989460		250	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
454	WW		the Navigator Company	Inacopia Elite		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
455	WW		the Navigator Company	INASET Laser Plus		160	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
456	WW		the Navigator Company	Navigator Expression UHD		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
457	WW		the Navigator Company	Navigator Expression UHD		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
458	WW		the Navigator Company	Navigator Presentation UHD		100	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
459	WW		the Navigator Company	Navigator Presentation UHD		100	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
460	WW		the Navigator Company	Navigator Bold Design		200	Plain	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
461	WW		the Navigator Company	Navigator Colour Documents UHD		120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
462	WW		the Navigator Company	Navigator Digital UHD		75	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
463	WW		the Navigator Company	Navigator Digital UHD		80	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
464	WW		the Navigator Company	Navigator Digital UHD		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
465	WW		the Navigator Company	Navigator Digital UHD		100	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
466	WW		the Navigator Company	Navigator Digital UHD		120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
467	WW		the Navigator Company	Navigator Office Card		160	Plain	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
468	WW		the Navigator Company	Navigator Platinum UHD	20 B	74	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
469	WW		the Navigator Company	Navigator Platinum UHD	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Color	No
470	WW		the Navigator Company	Navigator Platinum UHD	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No



Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
471	WW		the Navigator Company	Navigator Premium Multipurpose	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
472	WW		the Navigator Company	Navigator PrePrint		80	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
473	WW		the Navigator Company	Navigator PrePrint		100	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
474	WW		the Navigator Company	Navigator PrePrint		160	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
475	WW		the Navigator Company	Navigator Universal UHD		80	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
476	WW		the Navigator Company	Navigator Universal UHD		80	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
477	WW		the Navigator Company	Navigator Universal UHD		80	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
478	WW		the Navigator Company	Pioneer		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
479	WW		the Navigator Company	PrePrint		80	Plain	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
480	WW		the Navigator Company	Soporset Digital UHD		75	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
481	WW		the Navigator Company	Soporset Digital UHD		80	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
482	WW		the Navigator Company	Soporset Digital UHD		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
483	WW		the Navigator Company	Soporset Digital UHD		100	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
484	WW		the Navigator Company	Soporset Digital UHD		120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
485	WW		the Navigator Company	Soporset Opaque Smooth	50 T	75	Plain	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
486	WW		the Navigator Company	Soporset Opaque Smooth	80 T	118	Plain	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
487	WW		the Navigator Company	Soporset Opaque Smooth	80 T	118	Plain	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
488	WW		the Navigator Company	Soporset Opaque Smooth	63 C	170	Plain	Smooth	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Color	No
489	WW		the Navigator Company	Soporset Opaque Smooth	63 C	170	Plain	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Color	No
490	WW		the Navigator Company	Soporset Premium Offset		60	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
491	WW	NEW	the Navigator Company	Soporset Premium Offset		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
492	WW		the Navigator Company	Soporset Premium Offset		80	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
493	WW		the Navigator Company	Soporset Premium Offset		90	Plain	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
494	WW		the Navigator Company	Soporset Premium Offset		90	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
495	WW		the Navigator Company	Soporset Premium Offset		90	Plain	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
496	WW		the Navigator Company	Soporset Premium Offset		120	Plain	not specified	Inkjet Treated   Uncoated	0	320 mm x 430 mm	Optimized for Speed	No
497	WW		the Navigator Company	Soporset Premium Offset		120	Plain	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
498	WW		the Navigator Company	Soporset Premium Offset		160	Plain	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
499	WW		the Navigator Company	Soporset PrePrint		100	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
500	WW		the Navigator Company	Soporset PrePrint		160	Plain	not specified	Untreated   Uncoated	0	SRA3	Optimized for Speed	No
501	Europe		Torras	Security Paper		78	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
502	Europe		UPM	Canon Top Colour Digital		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
503	Europe		UPM	Digi Fine Jet		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
504	Europe		UPM	Digi Fine Jet		90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
505	Europe		UPM	Digi Finesse Premium		90	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
506	Europe		UPM	Digi Finesse Premium		130	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
507	Europe	NEW	UPM	Digi Finesse Premium Text		115	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
508	Europe		UPM	Digi Finesse Premium Text		150	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
509	Europe		UPM	Fine		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
510	Europe		UPM	Fine SC		80	Plain	super calandared	Untreated   Uncoated	0	A4	Optimized for Speed	No
511	Europe		UPM	Fine SC		90	Plain	super calandared	Untreated   Uncoated	0	A4	Optimized for Speed	No
512	WW		UPM	Igepa Maxi Offset		80	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
513	Europe		UPM	Inapa Bavaria Bulk		80	Coated	Matte	Untreated   Matte Coated	0	225 mm x 319 mm	Optimized for Color	Yes
514	Europe		UPM	MaxiOffset		170	Plain	not specified	Untreated   Uncoated	0	SRA3+	Optimized for Speed	No
515	Europe		UPM	MaxiOffset NaturOffset		80	Plain	not specified	Inkjet Treated   Uncoated	0	320 mm x 430 mm	Optimized for Speed	No
516	Europe		UPM	Office Copy		80	Plain	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
517	Europe		UPM	Office Presentation		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
518	Europe		UPM	PrePersonal Sheets		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
519	Europe		UPM	PrePersonal Sheets		90	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
520	Europe		UPM	PrePrint		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
521	Europe		UPM	Sol Plus		80	Coated	Matte	Untreated   Matte Coated	0	225 mm x 319 mm	Optimized for Color	Yes
522	North America		Veritiv	Econosource Multipurpose <b>PN U50220</b>	20 B	75	Plain	not specified	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
523	North America		Veritiv	Endurance Digital Silk	100 T	148	Coated	Silk	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
524	North America		Veritiv	Endurance Silk <b>PN ED8T52RW</b>	100 T	148	Coated	Silk	Untreated   Matte Coated	0	13 x 19	Optimized for Color	Yes
525	North America		Veritiv	Starbrite Opaque Select Smooth White	40 T	60	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	12 x 18	Optimized for Speed	No
526	North America		Verso	Anthem Satin GS	70 T	104	Coated	Satin	Untreated   Matte Coated	0	19 x 13	Optimized for Color	Yes
527	North America		Verso	Blazer <b>PN 308176</b>	70 T	105	Coated	Satin	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
528	North America		Verso	Blazer Digital Satin	80 T	118	Coated	Satin	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
529	North America		Verso	Blazer Digital Satin	100 T	148	Coated	Satin	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
530	North America		Verso	Sterling Digital Silk	80 T	118	Coated	Silk	Untreated   Matte Coated	0	12 x 18	Optimized for Color	Yes
531	North America		Xerox	3-Part Straight (W-C-P) Multipurpose <b>PN 003R12855</b>		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
532	North America		Xerox	3-Part Straight (W-C-P) Premium Digital <b>PN 003R12425</b>		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
533	North America		Xerox	2-Part Reverse/Straight (C-W) Multipurpose <b>PN 003R12850</b>		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
534	North America		Xerox	2-Part Straight/Reverse (W-C) Premium Digital <b>PN 003R12420</b>		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
535	North America		Xerox	4-Part Straight (W-C-P-GR) Premium Digital <b>PN 003R12430</b>		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
536	North America		Xerox	Bold <b>PN 3R11540</b>	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
537	North America		Xerox	Bold <b>PN 3R11542</b>	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Speed	No
538	North America		Xerox	Bold <b>PN 3R11543</b>	24 B	90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Speed	No
539	North America		Xerox	Bold <b>PN 3R11760</b>	28 B	105	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
540	North America		Xerox	Bold <b>PN 3R11762</b>	28 B	105	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Speed	No
541	North America		Xerox	Bold <b>PN 3R11763</b>	28 B	105	Plain	Smooth	untreated   Uncoated	0	12 x 18	Optimized for Speed	No
542	North America		Xerox	Bold <b>PN 3R11764</b>	32 B	120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
543	North America		Xerox	Bold <b>PN 3R11765</b>	32 B	120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Speed	No
544	North America		Xerox	Bold <b>PN 3R11766</b>	32 B	120	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
545	North America		Xerox	Bold <b>PN 3R11767</b>	60 C	163	Plain	Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
546	North America		Xerox	Bold <b>PN 3R11768</b>	60 C	163	Plain	Smooth	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
547	North America		Xerox	Bold <b>PN 3R11770</b>	80 C	216	Plain	Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
548	North America		Xerox	Bold <b>PN 3R11771</b>	80 C	216	Plain	Smooth	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
549	North America		Xerox	Bold <b>PN 3R11772</b>	80 C	216	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
550	North America		Xerox	Bold <b>PN 3R11774</b>	100 C	270	Plain	Smooth	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
551	North America		Xerox	Bold PN 3R11775	100 C	270	Plain	Smooth	Untreated   Uncoated	0	17 x 11	Optimized for Speed	No
552	North America		Xerox	Bold PN 3R11776	100 C	270	Plain	Smooth	Untreated   Uncoated	0	12 x 18	Optimized for Speed	No
553	North America		Xerox	Bold PN 3R20150	28 B	105	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Speed	No
554	North America		Xerox	Bold with ColorLok 30% Recycled	28 B	105	Inkjet Treated	not specified	Inkjet Treated   Uncoated	30	8.5 x 11	Optimized for Color	No
555	Europe		Xerox	Buisiness PN 00391895		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
556	Europe		Xerox	ColorPrint		100	Plain	not specified	Untreated   Uncoated	0	A3	Optimized for Speed	No
557	Europe		Xerox	ColorPrint PN 003R95254		90	Plain	Smooth	Untreated   Uncoated	0	A4	Optimized for Speed	No
558	Europe		Xerox	ColorPrint PN 003R96602		120	Plain	Smooth	Untreated   Uncoated	0	A4	Optimized for Speed	No
559	Europe		Xerox	ColoTech PN 003R99032		280	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	SRA3	Optimized for Color	No
560	Europe		Xerox	ColoTech+		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA4	Optimized for Speed	No
561	Europe		Xerox	ColoTech+ PN 003R95844		100	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
562	Europe		Xerox	ColoTech+ PN 003R98837		90	Inkjet Treated	Smooth	Untreated   Uncoated	0	A4	Optimized for Speed	No
563	Europe		Xerox	ColoTech+ PN 003R98839		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
564	Europe		Xerox	ColoTech+ PN 003R98845		100	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
565	Europe		Xerox	ColoTech+ PN 003R98849		120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
565	Europe		Xerox	ColoTech+ PN 003R98847		120	Inkjet Treated	Smooth	Untreated   Uncoated	0	A4	Optimized for Speed	No
567	Europe		Xerox	ColoTech+ PN 003R98852		160	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
568	Europe		Xerox	ColoTech+ PN 003R98975		250	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
569	Europe		Xerox	ColoTech+ <b>PN 003R99000</b>		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
570	Europe		Xerox	ColoTech+ <b>PN 003R99001</b>		90	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
571	Europe		Xerox	ColoTech+ <b>PN 003R99006</b>		100	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
572	Europe		Xerox	ColoTech+ <b>PN 003R99007</b>		100	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
573	Europe		Xerox	ColoTech+ <b>PN 003R99011</b>		120	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
574	Europe		Xerox	ColoTech+ <b>PN 003R99014</b>		160	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Speed	No
575	Europe		Xerox	ColoTech+ <b>PN 003R99015</b>		160	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
576	Europe		Xerox	ColoTech+ <b>PN 003R99016</b>		160	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
577	Europe		Xerox	ColoTech+ <b>PN 003R99019</b>		200	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A3	Optimized for Speed	No
578	Europe		Xerox	ColoTech+ <b>PN 003R99020</b>		200	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	SRA3	Optimized for Speed	No
579	Europe		Xerox	ColoTech+ <b>PN 003R99026</b>		250	Inkjet Treated	Smooth	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
580	Europe		Xerox	ColoTech+ Silk		130	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
581	Europe		Xerox	ColoTech+ Silk	60 T	115	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
582	Europe		Xerox	ColoTech+ Silk		150	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
583	Europe		Xerox	Colour Impressions <b>PN 003R97663</b>		90	Plain	Smooth	Untreated   Uncoated	0	A4	Optimized for Speed	No
584	Europe		Xerox	Colour Impressions Silk		90	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
585	Europe		Xerox	Colour Impressions Silk		100	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes

Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
586	Europe		Xerox	Colour Impressions Silk		115	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
587	Europe		Xerox	Colour Impressions Silk		130	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
588	Europe		Xerox	Colour Impressions Silk		150	Coated	Silk	Untreated   Matte Coated	0	SRA3	Optimized for Color	Yes
589	WW		Xerox	Digital Paper PN 003R70024		75	Plain	Silk	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
590	Europe		Xerox	Digital Paper PN 103R00924		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
591	Europe	NEW	Xerox	Premier PN 003R98792		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Speed	No
592	Europe		Xerox	Premier PN 003R91720		80	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Color	No
593	Europe		Xerox	Premier PN 003R91854		90	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Color	No
594	North America		Xerox	Premier PN 003R94787	20 B	75	Plain	not specified	Untreated   Uncoated	0	A4	Optimized for Color	No
595	WW		Xerox	Premium PN 003R006829	50 T	75	Plain	not specified	Untreated   Uncoated	0	8.5 x 11	Optimized for Speed	No
596	WW		Xerox	Premium	50 T	75	Plain	not specified	Untreated   Uncoated	0	11 x 17	Optimized for Speed	No
597	Europe		Xerox	Premium Digital Carbonless Green CF PN 003R99079		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
598	Europe		Xerox	Premium Digital Carbonless Green CFB PN 00399073		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
599	Europe		Xerox	Premium Digital Carbonless White CB PN 003R99069		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No



Item	Source	NEW	Manufacturer	Media Name	Weight lbs (#)	Weight gsm	Paper Type	Finish	Program Media As:	Percent Recycled Content	Size Tested	Suggested Speed Single Dryer	Use Custom Profile
600	Europe		Xerox	Premium Digital Carbonless Yellow CFB <b>PN 003R99071</b>		80	Carbonless	not specified	Inkjet Treated   Uncoated	0	A4	Optimized for Color	No
601	North America		Xerox	Vitality <b>PN 003R02047</b>	20 B	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
602	North America		Xerox	Vitality <b>PN 003R02051</b>	20 B	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 14	Optimized for Speed	No
603	North America		Xerox	Vitality <b>PN 003R02531</b>	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	8.5 x 11	Optimized for Speed	No
604	North America		Xerox	Vitality <b>PN 003R03761</b>	20 B	75	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Speed	No
605	North America		Xerox	Vitality <b>PN 003R03871</b>	24 B	90	Inkjet Treated	not specified	Inkjet Treated   Uncoated	0	11 x 17	Optimized for Speed	No